



FAX: 800-987-6552  
Phone: 877-283-8679

## Stelara (ustekinumab) Gastroenterology Patient Referral

PATIENT INFORMATION				
Patient Name:	Ship to: <input type="checkbox"/> Home <input type="checkbox"/> Office		DOB:	
Home Address:	City:		State:	Zip:
Home Phone:	Height:	Weight:	Gender: <input type="checkbox"/> Male <input type="checkbox"/> Female	
Cell Phone:	Email Address:			
INSURANCE INFORMATION (or attach copy of cards)				
Primary Insurance Co:	Policy Holder:	Relationship:	Policy#:	Group#:
Secondary Insurance:	Policy Holder:	Relationship:	Policy#:	Group#:
CLINICAL INFORMATION (fax all pertinent clinical and lab information)				
Diagnosis (ICD-10):	Date of Diagnosis:	List of Failed Therapies:		
Is patient switching from other biologic therapy? <input type="checkbox"/> Yes <input type="checkbox"/> No		Date of last infusion:	Required washout period: ____ wks	Access: PIV <input type="checkbox"/> PICC <input type="checkbox"/> PORT <input type="checkbox"/>
Negative TB Test: <input type="checkbox"/> Yes <input type="checkbox"/> No	Previously vaccinated against Hepatitis B or Negative HBsAg? <input type="checkbox"/> Yes <input type="checkbox"/> No	Recent liver function tests on file: <input type="checkbox"/> Yes <input type="checkbox"/> No		
List additional comorbidities:		Allergies:		
PRESCRIPTION INFORMATION (or attach a copy of the prescription)				
Stelara IV Induction/ Leading Doses	Dose Based on Patient Weight	Dose	Date received, if previously administered	
	up to 55 kg	260 mg (2 x 130mg/26mL vials)		
	greater than 55kg to 85kg	390 mg (3 x 130mg/26mL vials)		
	greater than 85kg	520 mg (4 x 130mg/26mL vials)		
Stelara Subcutaneous Maintenance Dose	90 MG (2 x 45mg/0.5mLvials) subcutaneously once every 8 weeks.			
Pre-Medications and Flushing Protocol for IV Induction Dose Only	Pre-Medications: administered 30 minutes prior to infusion.		IV Flushing Protocol:	
	<input type="checkbox"/> Diphenhydramine ____mg <input type="checkbox"/> PO or <input type="checkbox"/> IV		<input type="checkbox"/> Sodium Chloride 0.9% 5-10 mL pre and post medication and prn	
	<input type="checkbox"/> Acetaminophen ____mg PO		<input type="checkbox"/> Heparin 10 u/ml Peripheral Line: 3 ml after last NaCl 0.9% flush and prn	
	<input type="checkbox"/> OTHER: _____		<input type="checkbox"/> Heparin 100 u/ml Central Line: 5ml after last NaCl 0.9% flush and prn	
Refill for Subcutaneous Maintenance Dose: PRN x 1 year (OR _____ times)				
Anaphylaxis Orders and Medications	<input type="checkbox"/> Provide anaphylaxis kit per pharmacy protocol.			
Pump and Ancillary Supplies	<input type="checkbox"/> Provide pump and supplies as needed for dilution, administration, and appropriate disposal of infusion materials.			
Skilled Nursing Orders and Plan of Treatment	<input type="checkbox"/> Provide skilled nursing for home infusion of IV induction dose, and for training of self-injection maintenance dose.			
	<input type="checkbox"/> In-office IV induction dose infusion; no nursing administration or education needed.			
<i>Administration procedures to be followed per pharmacy protocol or manufacturer's guidelines.</i>				
PHYSICIAN INFORMATION				
Prescriber Name:	Phone:	Fax:		
Office Contact:	Email Address:			
Address:				
NPI:				
Prescriber Signature:		Date:		
Your signature authorizes AvevoRx, LLC and their network of pharmacies, Mid-Valley Health System (the "AvevoRx Pharmacies"), to act on your behalf to obtain prior authorization, including appeals and peer to peer reviews, for the prescribed medications. We will also pursue available copay and financial assistance on behalf of your patients.				

Confidentiality Statement: This message is intended only for the individual or entity to which it is addressed. It may contain information which may be proprietary and confidential. It may also contain privileged, confidential information which is exempt from disclosure under applicable laws, including the Health Insurance Portability and Accountability Act (HIPAA). If you are not the intended recipient, please note that you are strictly prohibited from disseminating or distributing this information (other than to the intended recipient) or copying this information. If you received this communication in error, please notify the sender immediately by calling 866.442.4679 or by emailing [ident@avevorx.com](mailto:ident@avevorx.com) to obtain instructions as to proper destruction of the transmitted material. Thank you.